





РОТОРНЫЕ БУРОВЫЕ ИНСТРУМЕНТЫ**ROTARY DRILLING TOOLS**

1. Обсадная труба одностенная (Single wall casing tube)



Diameter	Effective length,L						Wall thickness		Bolt number
D1/D2	1m	2m	3m	4m	5m	6m	T	B	
mm	Weight(kg) Parts Number						mm	mm	Nos
1300/1220	845	1475	2105	2735	3365	3995	20	40	12
1500/1400	1310	2220	3130	4040	4950	5860	25	50	12
1800/1700	1580	2675	3770	4865	5960	7055	25	50	16
2000/1880	2140	3355	4570	5785	7000	8215	25	60	12
2200/2080	2350	3690	4030	6370	7710	9050	25	60	12
2500/2380	2575	4100	5625	7150	8675	10200	25	60	16

2. Обсадная труба двухстенная (Double-wall casing tube)


Diameter	Effective length,L						Wall thickness		Total Wall thickness	Bolt
D1/D2	1m	2m	3m	4m	5m	6m	a1	a2	t2	number
mm	Weight(kg) Parts Number						mm			Nos
620/540	403	739	1074	1411	1747	2081	12	8	40	8
750/670	492	902	1311	1722	2131	2540	12	8	40	10
880/800	585	1069	1552	2036	2520	3005	12	8	40	10
1000/920	669	1221	1773	2328	2877	3429	12	8	40	10
1180/1100	844	1580	2316	3052	3787	4522	16	8	40	12
1200/1120	872	1620	2370	3120	3870	4620	16	8	40	12
1300/1220	933	1746	2558	3372	4184	4996	16	8	40	12
1500/1400	1433	2628	3817	5009	6210	7393	20	10	50	12
1800/1700	1730	3166	4602	6038	7474	8910	20	10	50	16
2000/1880	2450	4280	6110	7940	9770	11600	20	15	60	12
2200/2080	2700	4720	6740	8760	10780	12800	20	15	60	12
2500/2380	2960	5240	7520	9800	12080	14360	20	15	60	16


3. Ножевая секция двухстенная (Casing shoes Double-wall)

D	d	h	Teeth Number	kg
620	540	586	9	280
750	670	586	10	335
800	720	586	11	368
880	800	586	13	408
900	820	586	14	419
1000	920	586	15	468
1180	1100	586	17	557
1200	1120	586	18	567
1300	1220	586	19	615
1500	1420	586	22	1023
1800	1720	586	26	1235
2000	1880	802	30	1796
2500	2380	802	38	2261

4. Дрейтеллер (Casing drive adapter)


φmm	dmm	Bmm	H	kg
620/540	70	848	1794	679
750/670	70	848	1794	759
800/720	70	848	1794	816
880/800	70	848	1794	870
900/820	70	848	1794	894
1000/920	70	848	1794	1015
1180/1100	70	848	1794	1202
1200/1120	70	848	1794	1235
1300/1220	70	848	1794	1343
1500/1400	70	848	1794	2019
1800/1700	70	848	1794	2580
2000/1880	70	848	1794	3673
2500/2380	70	848	1794	5072

5. Уширитель скальный противоциклический (Reverse circulation bedrock expansion drill)



D1/D2	H	b	n(piece)	Hole (piece)	Bolt	Kg/set
620/540	350	40	4	8	I	233
750/670	350	40	4	10	I	285
800/720	350	40	4	10	I	304
880/800	350	40	4	10	I	333
900/820	350	40	4	10	I	341
1000/920	350	40	4	10	I	381
1180/1100	350	40	4	12	I	438
1200/1120	350	40	4	12	I	450
1300/1220	350	40	4	12	I	483
1500/1400	480	50	4	12	I	950
1800/1700	480	50	4	16	I	1146
2000/1880	480	60	6	12	II	1745
2500/2380	480	60	8	16	II	2197
Type	D	B	kg			
I	74.5	38	1			
II	98.5	59	3			